






Dairesel Kanal Açma



İki taraflı			Tek taraflı			Ød	Min. Çalışma Çapı	ℓ	Uzunluk		Kesme Kenarının Detayı		
Kod	Kaplamalı	Kaplamasız	Kod	Kaplamalı	Kaplamasız				L		W	a	S
	PC30M	Z12M		PC30M	Z12M				İki taraflı	Tek taraflı			
MGRR 0310-0.8			MGRR 0310-0.8-1			3.0	3.2	10	40	35	0.8	0.8	1.4
0315-0.8			0315-0.8-1					15	50	45			
0410-1.0			0410-1.0-1			4.0	4.2	10	40	35	1.0	1.0	1.9
0420-1.0			0420-1.0-1					20	60	50			
0610-1.0			0610-1.0-1			6.0	6.2	10	45	40	1.0	2.0	2.9
0620-1.0			0620-1.0-1					20	65	50			
0610-1.5			0610-1.5-1					10	45	40			
0620-1.5			0620-1.5-1					20	65	50			
0610-2.0			0610-2.0-1			10.0	10.2	10	45	40	1.5	2.3	3.9
0620-2.0			0620-2.0-1					20	65	50			
0820-1.0			0820-1.0-1			8.0	8.2	20	70	60	1.0	2.8	4.9
0820-1.5			0820-1.5-1								1.5		
0820-2.0			0820-2.0-1								2.0		
1025-1.0			1025-1.0-1			10.0	10.2	25	80	70	1.0	2.8	4.9
1025-1.5			1025-1.5-1								1.5		
1025-2.0			1025-2.0-1								2.0		

● : Stok ürün

Alın Kanal Açma



İki taraflı			Tek taraflı			Ød	Min. Çalışma Çapı	Uzunluk		Kesme Kenarının Detayı		
Kod	Kaplamalı	Kaplamasız	Kod	Kaplamalı	Kaplamasız			L		W	a	S
	PC30M	Z12M		PC30M	Z12M			İki taraflı	Tek taraflı			
MGFR 0400-1.0			MGFR 0400-1.0-1			4.0	6.0	50	45	1.0	1.5	1.8
0400-1.5			0400-1.5-1							1.5	2.0	
0600-1.0			0600-1.0-1			6.0	8.5	50	45	1.0	1.5	2.9
0600-1.5			0600-1.5-1							1.5	2.0	
0600-2.0	●		0600-2.0-1			8.0	10.4	70	60	2.0	2.5	3.9
0800-1.0			0800-1.0-1							1.0	1.5	
0800-1.5			0800-1.5-1							1.5	2.0	
0800-2.0			0800-2.0-1			10.0	12.4	80	70	2.0	2.5	4.9
1000-2.0			1000-2.0-1							2.5	3.0	
1000-2.5			1000-2.5-1							3.0	3.5	
1000-3.0			1000-3.0-1							3.5	4.0	
1000-3.5			1000-3.5-1			10.0	12.4	80	70	4.0	4.5	4.9
1000-4.0			1000-4.0-1							4.5	5.0	
1000-4.5			1000-4.5-1									

● : Stok ürün



Tornalama

B

129