


EM06H9M (Kaba işleme parmak freze)

ØD	Tolerans
Ø6-Ø10	±0.075
Ø10-Ø18	±0.090
Ø18-Ø20	±0.105



(mm)

Kod	ØD	Ød	ℓ	L
EM06H9-060	6.0	6	15	60
070	7.0	8	20	65
080	8.0	8	20	65
090	9.0	10	25	75
100	10.0	10	25	75
110	11.0	12	30	80
120	12.0	12	30	80
130	13.0	12	35	90
140	14.0	12	35	90
150	15.0	12	40	95
160	16.0	16	40	95
170	17.0	16	40	95
180	18.0	16	40	105
190	19.0	16	45	110
200	20.0	20	45	110
210	21.0	20	45	110
220	22.0	20	45	110
230	23.0	20	45	110
240	24.0	25	50	120
250	25.0	25	50	120
260	26.0	25	50	120
270	27.0	25	55	125
280	28.0	25	55	125
300	30.0	25	55	125
320	32.0	32	60	145
340	34.0	32	60	145
350	35.0	32	60	145
360	36.0	32	60	145
380	38.0	32	65	150
400	40.0	32	65	150
420	42.0	42	65	155
440	44.0	42	65	155
450	45.0	42	70	160
460	46.0	42	70	160
500	50.0	42	70	160