








# G King Drill (içten soğutma sistemi ile tornada kullanmak)

## King Drill-4D

içten soğutma sistemi ile tornada kullanmak



								(mm)		
Kod	ØD	Ød <sub>1</sub>	Ød <sub>2</sub>	l <sub>1</sub>	l <sub>2</sub>	L	Kesici Uç	Vida	Anahtar	
K4D	13020HP-04	13.0	20	25	29	50	93	SP□T040204-□□	FTNA0204	TW06P
	13520HP-04	13.5	20	25	29	50	93	XO□T040204-□□		
	14020HP-05	14.0	20	25	59	50	124	SP□T050204-□□ XO□T050204-□□	FTNA0204	TW06P
	15020HP-05	15.0	20	25	63	50	129			
	16020HP-05	16.0	20	25	67	50	133	SP□T060205-□□ XO□T060204-□□	FTKA02206S	TW07P
	17025HP-06	17.0	25	34	71	56	143			
	18025HP-06	18.0	25	34	75	56	148			
	19025HP-06	19.0	25	34	79	56	152			
	20025HP-07	20.0	25	34	83	56	158	SP□T07T208-□□ XO□T07T205-□□	FTKA02565	TW07S
	21025HP-07	21.0	25	34	87	56	162			
	22025HP-07	22.0	25	34	91	56	166			
	23025HP-07	23.0	25	34	95	56	172	SP□T090308-□□ XO□T090305-□□	FTKA0307	TW09S
	24032HP-09	24.0	32	44	99	60	181			
	25032HP-09	25.0	32	44	103	60	185			
	26032HP-09	26.0	32	44	107	60	189			
	27032HP-09	27.0	32	44	111	60	194			
	28032HP-09	28.0	32	44	115	60	199			
	29032HP-09	29.0	32	44	119	60	203			

↻ Kullanılabilir Kesici Uçlar G04-05



G Matkaplar

24